

Korzhetskiy, A.P.

AID P - 4009

Subject : USSR/Hydr. Eng.

Card 1/1 Pub. 35 - 16/18

Author : Korzhetskiy, A. P., Eng.

Title : Shreyber, B. P. 1) Goryachaya Bitumizatsiya v Gidrotekhnicheskem Stroitel'stve (Hot tar coating in hydraulic engineering) Gosenergoizdat, 1951; and 2) Bitumizatsiya v Gornoy Promyshlennosti (Tar coating in Mining) Ugletekhizdat, 1953.

Periodical : Gidro. stroi., 8, 42-44, 1955

Abstract : A two-book review. The author is criticized for many erroneous statements although both books to a certain degree are valuable additions to the literature of tar coating and related fields.

Institution : None

Submitted : No date

KORZHETSKIY, A.P., inshener.

Existing methods of designing parameters for cement blankets. Gidr,  
stroi. 26 no.3:20-24 Mr '57. (MIRA 10:4)  
(Hydraulic engineering) (Soil mechanics)

AUTHOR: Korzhetskiy, A.P., Engineer 98-58-4-17/18

TITLE: Critical Review of the Book by V.V. Kurilenko Entitled "Determination of Inflow of Water to Foundation Pits and Calculation of Devices for Lowering Water Levels" (Otzyvy o knige V.V. Kurilenko "Opredeleniye pritoka vody k kotlovanam i raschet ponizitel'nykh ustavok")

PERIODICAL: Gidrotekhnicheskoye Stroitel'stvo, 1958, Nr 4, pp 61-64 (USSR)

ABSTRACT: This is a review of the above mentioned book published by Gosenergoizdat, 1954. The review is followed by a critical statement signed jointly by: Prof. Verigin, N.N., Doctor of Technical Sciences; Bindeman, N.N., Candidate of Geol. and Mineral Sciences; Bochevar, F.M., Candidate of Technical Sciences; Grigoryev, V.M., Nedriga, V.P., and Shestakov, V.M.

AVAILABLE: Library of Congress

Card 1/1 1. Hydrology-USSR 2. Construction-USSR

MAYEV, M.A.; KORZHETSKIY, V.P.

Removable attachment for the O-8 parquetry polisher for cleaning  
asphalt sub-floors. Rate.i izobr.predl.v stroi. no.60:8-9 '53.  
(MLRA 7:2)  
(Floors)

KORZHETSKIY, V.P., laureat Stalinskoy premii; POLYAKOV, V.G.

Screw conveyor for sand feeder devices. Rats. i izobr.predl.  
v stroi. no.70:20-21 '53. (MIRA 7:10)  
(Conveying machinery)

14. Kozlovskiy, A.A.; Korzhetskiy, V.P., laureat Stalinskoy premii; Polyakov, V.G.; Khromovoy, A.P.; Kogan, I.Y.; Bazarov, A.F., laureat Stalin-skoy premii.

The BTK-30 crane. Rats. i izobr. predl. v stroi. no.110:3-5 '55.  
(Cranes, derricks, etc.) (MLRA 8:10)

KOZLOVSKIY, A.A.; KOGAN, I.Ya.; SMIRNOV, G.Ya.; POLYAKOV, V.G.;  
KORZHETSKIY, V.P.; EHROMOV, P.P.

Equipment for a four-legged tower crane assuring efficient  
movement and operation within a small working range. Rats. 1  
izobr. predl. v stroi. no.2:46-48 '57. (MIRA 11:1)  
(Cranes, derricks, etc.)

KORZHETSKIY, V.P.; MARYEVA, V.N.; BULGAKOVA, I.I.

Skip used for feeding sand into the hoppers of mixing units. Rats.  
1 izobr. predl. v strol. no.3:51-53 '57. (MIRA llfl)  
(Concrete mixers)

Korzhev, A.A.

SOKOLOV, D.A.; KORZHEV, A.A.

Radioactive method of controlling the drilling of inclined holes  
in a coal seam. Podzem.gaz.ugl. no.3:59-65 '57. (MIRA 10:11)

1. Vsesoyuznyy nauchno-issledovatel'skiy i proyektnyy institut  
podzemnoy gasifikatsii ugley (for Sokolov). 2. VNIIGR (for Korzhev).  
(Boring) (Gamma rays--Industrial application)

*KORZHEV A.A.*AUTHOR: Korzhev, A. A.

49-9-12/13

TITLE: Determination of the intensity of the  $\gamma$ -radiation in three-dimensional radio-active sources, taking into consideration the effects of scattering. (Opredeleniye intensivnosti gamma-izlucheniya v ob'yemnykh radioaktivnykh istochnikakh s uchetom effekta rasseyaniya).

PERIODICAL: Izvestiya Akademii Nauk SSSR, Seriya Geofizicheskaya, 1957, No.9, pp.1189-1193 (USSR)

ABSTRACT: For the case of a uniform energy spectrum the gamma-radiation at any point of an infinite space, with a uniformly distributed radio-active substances, can be determined by means of eq.(7), p.1190; for an infinite semi-space with equal radio-active properties the intensity of  $\gamma$ -radiation at the boundary air-medium can be expressed by eq.(14), p.1191, both derived in this paper. These formulae are valid also for the case of a non-uniform spectrum of the  $\gamma$ -radiation caused by radio-active components which are genetically not inter-related; in this case eqs.(7) and (14) are used in the form expressed by eqs.(16) and (17). It was found that in the case of a radiating medium of the same density and the same coefficient of weakening, the ratio of the intensity of the

Card 1/2

Determination of the intensity of the  $\gamma$ -radiation in three-dimensional radio-active sources, taking into consideration the effects of scattering.

~~APPROVED FOR RELEASE 06/14/2000~~ 49-9-12/13  
 $\gamma$ -radiation in an unlimited medium with equal radio-active parameters is a constant value equalling 0.5.  
There are 3 figures and 2 Slavic references.

SUBMITTED: September 25, 1956.

ASSOCIATION: All Union Scientific Research Institute for Geophysical Methods of Prospecting of the Oil Industry.  
(Vsesoyuznyy N.-I. Institut Geofizicheskikh Metodov Razvedki Neftyanoy Promyshlennosti).

AVAILABLE: Library of Congress

Card 2/2

KORZHEV, A.A.

Effect of the mineralization of formation waters on the results of  
neutron gamma-ray logging. Razved. i prom. geofiz. no.19:51-54 '57.  
(Oil well logging, Radiation) (Oil field brines) (MLRA 10:11)

KORZHEV, A.A.

Study of the energy spectra of natural gamma radiation in sedimentary  
rocks. Razved. i prom. geofiz. no.20:57-62 '57. (MIRA 11:4)  
(Gamma rays) (Rocks, Sedimentary)

KORZHEV, A.A., inzh.; ZELENSKAYA, M.L., inzh.; FEDOSEYEV, R.G., inzh.

Safety measures in using radioisotopes. Bezop.truda v prom.  
(3 no.4:15-17 Ap '59. (MIRA 12:6)  
(Radioisotopes--Safety measures)

KORZHEV, A.A.

Using the method of gamma logging to define more precisely  
geological well profiles and to correlate individual horizons.  
Razved. i prom. geofiz. no.30:85-93 '59. (MIRA 12:12)  
(Logging (Geology)) (Gamma rays--Industrial applications)

SREBRODOL'SKIY, D.M., inzh.; KORZHEV, A.A., inzh.

Devices for safe core sampling by radioactive methods.  
Besop.truda v prom. 4 no.3:18-19 '60. (MIRA 13:6)  
(Prospecting)  
(Radioactive substances--Industrial applications)

KORZHEV, A. A.

Estimating the porosity of permeable rocks by the use of radioactive isotopes. Prikl. geofiz. no.26:137-148 '60.  
(MIRA 13:8)

(Radioactive tracers)  
(Rocks--Permeability)

KURZHEV, A.A.

PHASE I BOOK EXPLOITATION SOV/5592

Vsesoyuznoye soveshchaniye po vnedreniyu radioaktivnykh izotopov i  
yadernykh izlucheniy v narodnom khozyaystve SSSR. Riga, 1960.

Radioaktivnyye izotopy i yadernyye izlucheniya v narodnom  
khozyaystve SSSR; trudy Vsesoyuznogo soveshchaniya 12 - 16  
aprelya 1960 g. g. Riga, v 4 tomakh. t. 4: Poiski, razvedka  
i razrabotka poleznykh iskopayemykh (Radioactive Isotopes and  
Nuclear Radiation in the National Economy of the USSR; Tran-  
sactions on the Symposium Held in Riga, April 12 - 16, 1960, in  
4 volumes. v. 4: Prospecting, Surveying, and Mining of Min-  
eral Deposits) Moscow, Gostoptekhizdat, 1961. 284 p. 3,640  
copies printed.

Sponsoring Agency: Gosudarstvennyy nauchno-tehnicheskiy komitet  
Soveta Ministrov SSSR. Gosudarstvennyy komitet Soveta Ministrov  
SSSR po ispol'zovaniyu atomnoy energii

Eds. (Title page): N. A. Petrov, L. I. Petrenko, and P. S. Savitskiy;  
ed. of this volume: M. A. Speranskiy; Scientific ed.: M. A.  
Speranskiy; Executive Eds.: N. N. Kuz'mina and A. G. Ionel';

Card 1/11

Radioactive Isotopes and Nuclear (Cont.)

SOV/5592

Tech. Ed.: A. S. Polosina.

PURPOSE : The book is intended for engineers and technicians dealing with the problems involved in the application of radioactive isotopes and nuclear radiation.

COVERAGE: This collection of 39 articles is Vol. 4 of the Transactions of the All-Union Conference of the Introduction of Radioactive Isotopes and Nuclear Reactions in the National Economy of the USSR. The Conference was called by the Gosudarstvennyy nauchno-tehnicheskiy komitet Sovet Ministrov SSSR (State Scientific-Technical Committee of the Council of Ministers of the USSR), Academy of Sciences USSR, Gosplan SSSR (State Planning Committee of the Council of Ministers of the USSR), Gosudarstvennyy komitet Svetya Ministrov SSSR po avtomatizatsii i mashinostroyeniyu (State Committee of the Council of Ministers of the USSR for Automation and Machine Building), and the Council of Ministers of the Latvian SSR. The reports summarized in this publication deal with the advantages, prospects, and

Card 2/11

## Radioactive Isotopes and Nuclear (Cont.)

SOV/5592  
107

development of radioactive methods used in prospecting, surveying, and mining of ores. Individual reports present the results of the latest scientific research on the development and improvement of the theory, methodology, and technology of radiometric investigations. Application of radioactive methods in the field of engineering geology, hydrology, and the control of ore enrichment processes is analyzed. No personalities are mentioned. There are no references.

## TABLE OF CONTENTS:

Alekseyev, F. A. Present State and Future Prospects of Applying the Methods of Nuclear Geophysics in Prospecting, Surveying, and Mining of Minerals	5
Bulashevich, Yu. P., G. M. Voskoboinikov, and L. V. Muzyukin. Neutron and Gamma-Ray Logging at Ore and Coal Deposits	19
Gordyeyev, Yu. I., A. A. Mukher, and D. M. Srebrodol'skiy. The	

Card 3/11

18

Radioactive Isotopes and Nuclear (Cont.)	SOV/5592
Flerov, G. N., B. G. Yerozolimskiy, D. F. Bespalov, L. R. Voyt-sik, D. I. Leypunskaia, A. T. Lopovok, and Yu. S. Shimclevich. New Small-Size Sources of Neutrons	62
Zaporozhets, V. M., S. A. Kantor, A. I. Kedrov, and V. V. Sulin. Basic Problems of the Theory and Methodology of Radioactive Methods of Borehole Investigation Using the Charged-Particle Accelerators	68
Korzhhev, A. A. Investigation of Boreholes by Methods Based on the USE of Radioactive Isotopes	80
Guberman, Sh. A., V. V. Larionov, and A. I. Kholin. Possibilities of Evaluating the Porosity of Rocks on the Basis of Data Obtained by Radiometry of Boreholes	86
Kukharenko, N. K., Ya. N. Basin, and N. V. Polukhina. Problem of Devising an Industrial Method for the Determination of Bed Porosity According to the Data of Neutron Gamma Logging	95

Card 5/11

KORZHEV, A.A.; VIADIMIROVA, V.A.

Evaluation of the possibility of using radioisotopes to study  
permeable layers. Prikl. geofiz. no.33:225-231 '62.  
(MIRA 15:10)

(Radioisotopes--Industrial applications)  
(Rocks—Permeability)

KOMAROV, S.G.; PETROSYAN, L.G.; PER'KOV, N.A.; FEL'DMAN, I.I.;  
DUNCHENKO, I.A.; KORZHEV, A.A.; SOKHRANOV, N.N.;  
CHUKIN, V.T.; BASIN, Ya.N.; KARGOV, F.A.; MUKHER, A.A.;  
FEDOROVA, L.N., red.; BYKOVA, V.V., tekhn. red.

[Technical instructions on conducting geophysical explorations in boreholes] Tekhnicheskaya instruktsiya po provedeniu geofizicheskikh issledovanii v skvazhinakh. Moskva,  
Gosgeoltekhnizdat, 1963. 297 p. (MIRA 17:2)

1. Russia (1923- U.S.S.R.) Gosudarstvennyy geologicheskiy komitet.  
2. Kollektiv rabotnikov sektora promyslovoy geofiziki  
Vsesoyuznogo nauchno-issledovatel'skogo instituta geofizicheskikh metodov razvedki (for Komarov, Petrosyan, Per'kov,  
Fel'dman, Dunchenko, Korzhev, Sokhranov, Chukin, Basin). 3. So-  
trudniki Otdela geofiziki Gosudarstvennogo geologicheskogo ko-  
miteta SSSR (for Kargov). 4. Glavnoye upravleniye geologii i okhrany nedr pri Sovete Ministrov RSFSR (for Mukher).

"APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000825020008-6

KORZHEN, I.D.

~~Demonstrations of tools for students. Politekh. obuch. no. 6:78-82  
Je '58. (Manual training) (Tools)~~

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000825020008-6"

KORZHEV, Ivan Dmitriyevich

[Equipment for machine shops in schools, for grades 5 to 7]  
Oborudovanie uchabnykh mesterskikh v shkole, 5-7 klassy.  
Moskva, Gos.uchebno-pedagog.izd-vo, 1959. 174 p.

(MIRA 13:5)

(Machine shops)

KORZHEV, I.D.

Significance of manual training and elementary equipment in  
school workshops. Politekh.obuch. no.1:16-20 Ja '59.  
(MIRA 12:2)

(Manual training)

KORZHEV, I.D.

New school subjects on the fundamentals of mechanical engineering and production. Politekh. obuch. no. 6:7-9 Je '59.  
(MIRA 12:12)  
(Technical education)

KORZHEV, I.M.

Teaching trades in rural secondary schools with industrial  
training. Politekh.obuch. no.10:10-12 O '59. (MIRA 13:2)  
(Agriculture--Study and teaching)  
(Vocational education)

KORZHEV, I.Ye.

Simultaneous perforation of the stomach and veriform process.  
Vest.khir. no.3:121-122 '62. (MIRA 15:3)

1. Iz khirurgicheskogo otdeleniya (zav. - I.Ye. Korzhev) Melenkovskoy rayonnnoy bol'nitsy (gl. vrach - S.A. Petrova) Vladimirovskoy oblasti. Adres avtora: Melenkiy, Vladimirovskoy oblasti, rayonnaya bol'nitsa.

(STOMACH--ULCERS) (APPENDIX (ANATOMY)--ULCERS)

KORZHEV, M.P., arkhitektor; IUNEGA, Z.S., inzhener zelenogo stroitel'stva.


Gardens and parks in Rumania. Gor. khoz. Mosk. 32 no.3:38-40 Mr '58.  
(Rumania--Landscape architecture) (MIRA 11:3)  
(Rumania--Landscape gardening)


PRINTSEVA, inzh.; RODINA, inzh.; DENISOVA, inzh.; VINOGRADOV, K.A., kand.  
sel'skokhozyaystvennykh nauk; KORZHEV, M.P., arkhitektor

Preserving forests in areas designated for housing construction.  
Gor. khoz. Mosk. 33 no.7:29-30 Jl '59. (MIRA 12:10)

1.Gorproyekt, g.Pech' (for Printseva, Rodina, Denisova). 2.Rukovoditel' sektora ozeleneniya gorodov Akademii kommunal'nogo khozyaystva  
(for Vinogradov).

(Forests and forestry)





KORZHEV, P.P.; PARMENOV, K.Ya.; DAVYDOV, S.D.; GOL'DFARB, Ya.L.;  
 NEYDING, A.B.; DMITRIYENKO, G.V., redaktor; SHIKIN, S.T., tekhnicheskiy redaktor

[Chemistry handbook for teachers of secondary schools] Spravochnik po khimii dlia uchitelei srednei shkoly. Izd. 3-e, perer. Moskva, Gos. uchebno-pedagog. izd-vo Ministerstva prosveshcheniya RSFSR, 1954. 370 p.  
 (Chemistry)

Abstract : A mixture of  $C_2H_6$  or  $C_3H_8$  and air, or  $O_2$ , was passed into a quartz tube, 20 mm in diameter, filled with a chamotte packing. Pyrolysis and combustion of hydrocarbons occurred.

Approved for release on 06/14/2009 CIA-RDP86-00513R000825020008-6  
 of  $C_2H_6$  - air mixtures: temperature from 745 to 815°,  
 content of  $O_2$  in the mixture 11-15%; in the case of  $C_2H_6$

Card 1/2

USSR/Chemical Technology - Chemical Products and Their Application. Industrial Organic Synthesis

Abs Jour : Ref Zhur - Khimiya, No 1, 1958, 2141

-  $O_2$  mixtures: 760-820°,  $O_2$  content 23%; in the case of  $C_3H_8$  - air mixtures: 765-850°,  $O_2$  content 11.8-13.6%; in the case of  $C_3H_8$  -  $O_2$  mixtures: 795-830°,  $O_2$  content 9.2-15.9%. Composition of the reaction products and reaction heat values are given. With  $C_2H_6$  - air at 805-815°, yield of  $C_2H_4$  57-58% by volume, on the basis of the  $C_2H_6$  used, and 75-78% by volume on the basis of the  $C_2H_6$  that had reacted. With mixtures of  $C_3H_8$  - air and  $C_3H_8$  -  $O_2$ , at 820-840°, yield of  $C_2H_4$  54-58% on the basis of  $C_2H_6$  used and 56-63% on the basis of  $C_3H_8$  that had reacted (yield of  $CH_3-CHCH_3$  6-12%). Pyrolysis of  $C_2H_6$  in the presence of  $O_2$  was also carried out over catalysts (alumosilicate and  $Cr_2O_3/Al_2O_3$ ), yield of  $C_2H_4$  at about 800°, 58.5% by volume on the basis of  $C_2H_6$  used and 77-79% by volume on the basis of  $C_2H_6$  that had reacted.

KORZHEV, Pavel Petrovich, pri uchastii K.Ya.Parmenova, S.D.Davydova,  
Ya.L.Gol'dfarba, A.B.Neydinga; POZDNYAKOVA, N.I., red.; SMIRNOV,  
G.I., tekhn.red.

[Chemistry manual for teachers of secondary schools] Spravochnik  
po khimii dlia uchitelei srednei shkoly. Izd. 4-oe, ispr. i dop.  
Moskva, Gos. uchebno-pedagog. izd-vo M-va prosv. RSFSR, 1958.  
(MIRA 11:5)  
423 p.

(Chemistry--Laboratory manuals)

SALDADZE; Kirill Maksimovich, kand.tekhn.nauk; PASHKOV, Arkadiy Borisovich,  
inzh.; TITOV, Vladimir Semenovich, inzh.; KORZHEV, P.P., red.;  
LUR'YE, M.S., tekhn.red.; SPERANSKAYA, A.A., tekhn.red.

[Ion exchanging high molecular weight compounds] Ionoobmennye  
vysokomolekularnye soedineniya. Pod red. K.M.Saldadze. Moskva,  
Gos.nauchno-tekhn.izd-vo khim.lit-ry, 1960. 355 p. (MIRA 13:5)  
(Ion exchange) (Macromolecular compounds)

KRESHKOV, A.P.; BORK, V.A.; BONDAREVSKAYA, Ye.A.; MYSHLYAYEVA, L.V.;  
SYAVTSILLO, S.V.; SHEMYATENKOVA, V.T.; KORZHEV, P.P., red.;  
SHPAK, Ye.G., tekhn. red.

[Practical handbook on the analysis of monomeric and polymeric  
organosilicon compounds] Prakticheskoe rukovodstvo po analizu  
monomernykh i polimernykh kremniiorganicheskikh soedinenii.  
Pod red. A.P.Kreshkova. Moskva, Goskhimizdat, 1962. 544 p.  
(MIRA 16:1)

(Silicon organic compounds)

GULYAYEV,A.; KORZHEV,V.

Studying two zonal catalogs of the astronomical observatory of Yale University. Astron. zhur. 30 no.3:340-347 My-Je '53. (MLRA 6:5)

1. Gosudarstvennyy astronomicheskiy institut imeni P.K. Shternberga.  
(Stars--Catalogs)

ALTUNINA, V.K.; VASILENKO, S.K.; KORZHEV, V.A.; SANDAKHCHIEV, L.S.

Isolation and characteristics of soluble RNA from brewer's  
yeast. Biokhimia 29 no. 1:53-57 Ja-F '64. (MIRA 18:12)

1. Institut organicheskoy khimii Sibirsogo otdeleniya AN SSSR,  
Novosibirsk. Submitted March 21, 1963.

ANDREYEV, T.F.; KORZHEVA, G.F.

Particular aspects of the development of amino acids and proteins  
in leaves during photosynthesis. Fiziol. rast. 3 no.4:441-448  
'61. (MIRA 14:11)

1. Timiriazev Institute of Plant Physiology, U.S.S.R. Academy  
of Sciences, Moscow.

(Plants, Effect of light on)  
(Amino acids)  
(Proteins)

ANDREYEVA, T.F.; KORZHEVA, G.F.

Effect of the spectral composition and intensity of light on the formation of amino acids in leaves. Fiziol. rast. 11 no.6:951-960  
N-D '64.  
(MIRA 18:2)

1. Timiriazev Institute of Plant Physiology, U.S.S.R. Academy of Sciences, Moscow.

ANDREYEVA, T.F.; KORZHEVA, G.F.

Diurnal variations in the amount of amino acids in a sunflower leaf. Dokl. AN SSSR 143 no.6:1455-1458 Ap '62. (MIRA 15:4)

1. Institut fiziologii rasteniy im. K.A.Timiryazeva AN SSSR.  
Predstavлено академиком А.Л.Курсановым.  
(Amino acids) (Sunflowers)

KORZHEVA, K.P.

KORZHEVA, K.P., kandidat istoricheskikh nauk.

History of the military build-up in Kazakhstan. Vest.AN Kazakh.

SSR 13 no.5:26-37 My '57.

(MLRA 10:9)

(Kazakhstan--History, Military)

KORZHUEVA, R. N.

## PAGE I BOOK EXPOSITION

SOW/1973

Borodavich's po Luminostetikai, 8th, 1959

Method Luminosteticheskaya analiza materialov sverkhuchchich (Methods for  
Luminescence Analysis Materials or the 8th Conference) Minsk, Izd-vo

AN BSSR, 1960. 147 p. 1,000 copies printed.

Sponsoring Agency: Akademicheskii Belorususskii SSSR. Institut fiziki.

General Ed.: N. A. Borodavich Ed.: I. Timofeyev; Tech. Ed.:

I. Silero.

**PURPOSE:** This collection of articles is intended for chemists and physicochemical concerned with applications of this and related phenomena in research in the life sciences.

**CONTENTS:** The collection contains 30 papers read at the Eighth Conference on Luminescence which took place 19-20 October, 1959 [place of conference not given]. These studies are concerned principally with the development of new luminescence methods for quantitative and qualitative chemical analysis, and with the applications of luminescence in medical and biological research. They discuss luminescent methods for the determination of carbon, nitrogen, sulfur, phosphorus, chlorine, iodine, and other elements, as well as luminescence methods for the detection of carcinogens, such as the detection of cigarette smoke, phosphogenic carcinogens, and the structural design of new techniques for luminescence analysis described. The conference was not concerned with studies on the phenomenon of crystal phosphorescence. There is a discussion on the contributions of Soviet specialists in molecular luminescence. The articles of V. K. Matveyev (p. 75) and of V. V. Patryayev (p. 79) have been translated because of their importance. No personalities are mentioned. References accompany most of the articles.

**Stol'yanov, E. P. and M. Orlitskaya [Luminosteticheskaya analiza gosudarstvennykh universitetov: Materialy nauchno-tekhnicheskogo seminara, 1960]. Qualitative and Quantitative Indication Analysis of Inorganic Ions**

32

**Borodavich, D. P., R. M. Korzhueva, and A. V. Proshchepko [Fizicheskaya i khimicheskaya diagnostika v poiskakh novykh metodov analiza rastvorov i materialov (Physical and Chemical Methods of Determination of Solvents and Materials)] Determination of Solvent with the Aid of the Objective Fluorimeter for Liquids**

37

**Borodavich, D. P. and R. M. Korzhueva. Increasing the Sensitivity and Reproducibility of Fluorescence Analysis of Solutions**

43

**Orlitskaya, T. V. and A. V. Proshchepko. Fluorometric Determination of Boron in Solutions by Means of Neutral with a Sensitive Fluorimeter of New Design**

50

**Borodavich, D. P., R. M. Korzhueva, and G. V. Samokhin [Metod lumenosteticheskoy analizy v sostoyaniye reaktivov (Method Luminosteticheskaya analiza reaktivov) (All-Union Scientific Research Institute of Chemical Reagents (IZRKh)). New Luminescence Reagent for the Determination of Boron**

55

**Borodavich, D. P., R. M. Korzhueva [All-Union Scientific Institute of Chemical Reagents]. Determination of Aluminum by the Luminescence Method in Substances Having a High Degree of purity**

59

• [View Details](#) • [Edit](#) • [Delete](#) • [Print](#)

10

卷之三

卷之三

• 1985, 120-95

Antcheva, R. A.

1. *What is the name of the author?*

#### REFERENCES

J. AM. CHIM. SOC., VOL. 11, NO. 1.

It is evident that the brightest green alga, *Chlorophyllum*, is the most effective in the complex system of the green algae.

It is also found that the product is stable at room temperature for about 24 hours and is stable for 2-3 days. Under these conditions, it is

2000 JG 1

卷之三

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000825020008

DRANKIN, D.I.; ZAMOTIN, B.A.; KORZHEVA, V.S.

Epidemiology of brucellosis of the suis type. Zhur.mikrobiol.  
epid.i immun. 31 no.2:95-100 F '60. (MIRA 13:6)

1. Iz Kemerovskoy oblastnoy sanitarno-epidemiologicheskoy  
stantsii i Stalinskogo instituta usovremenstvovaniya vrachey.  
(BRUCELLOSIS epidemiol.)

KOZLOVSKIY, Ye.V., prof., doktor; KORZHEVEMKO, G.N., kand.vet.nauk

Comments on A.M. Laktionov and B.M. Obukhov's article "Chen-chiu  
therapy (acupuncture)." Veterinariia 35 no.8:64-66 Ag '58.  
(Acupuncture) (MIRA 11:9)

KORZHEVENKO, G.N., kand. veter. nauk; IVANOVTSOV, P.V., kand. veter. nauk; FEDOTOV, V.G., red.; RIVELIS, Ye.M., red.

[Clinical aspects, pathogenesis, treatment, and veterinary hygiene expertise in burns of farm animals] Klinika, patogenet, lechenie i veterinarno-sanitarnaia eksper'tiza pri ozhogakh sel'skokhoziaistvennykh zhivotnykh. Moscow, Rossel'khozizdat, 1965. 67 p. (MIHA 18:9)

KORZHEVENKO, G.N., kand. veter. nauk; KOLYAKOV, V.L., kand. veter. nauk,  
GORSHKOV, Yu.I., kand. biolog. nauk

Hydroperoxide reaction in the determination of phosphorus organic  
compounds in water and feeds. Veterinaria 42 no.5:76-77 My '65.  
(MIFI 18:6)

9(2)

SOV/107-59-2-~~42~~/55

AUTHOR: Sidorov, B. and Korzhevskiy, L.

TITLE: An Approximate Determination of Condenser Capacitance  
(Oriyentirovchnoye opredeleniye yemkosti kondensatorov)

PERIODICAL: Radio, 1959, Nr 2, p 55 (USSR)

ABSTRACT: This is a short description of how to determine approximately the capacity of condensers using an avometer (e.g. the TT-1). For this purpose the author recommends the use of condenser charge current, which will excite the throw of the avometer indicator. The approximate capacity is determined according to the amplitude of the indicator throw.

Card 1/1

KORZHEVSKIY, L. (g.Ufa)

Portable input impedance meter. Radio no.4:51 Ap '61.  
(MIRA 14:7)

(Electronic measurements)

KORZHEVSKIY, L. (Ufa)

An autotransformer for television receivers. Radio no.12:54 D '62.  
(MIRA 16:3)

(Electric transformers) (Television—Receivers and reception)

KORZHIK, M.V., dotsent

Analytic and graphic methods of constructing geometrical maps of inclined plane projections in mine surveying. Nauch. dokl. vys. shkoly; gor. delo no.1:95-106 '58. (MIRA 11:6)

1. Predstavlena kafedroy marshyderskogo dela Krivorozhskogo gornorudnogo instituta.  
(Mine surveying) (Mine maps)

USHAKOV, Gavriil Alekseyevich, dotsent, kand.tekhn.nauk; GOL'DIN, Iosif Davidovich, kand.tekhn.nauk; KORZHIK, M.V., otv.red.; SINYAVSKAYA, Ye.K., red.izd-va; ANDREYEV, S.P., tekhn.red.

[Graphic representations of mines] Magliadnye marksheiderskie grafiki. Khar'kov, Gos.nauchno-tekhn.izd-vo lit-ry po chernoi i tsvetnoi metallurgii, 1959. 187 p. (MIRA 12:4)  
(Mine surveying--Graphic methods)

KORZHIK, M.V., dotsent

Choosing a location for drifting under deposits in mining flat  
seams in the Donets Basin. Izv. vys. ucheb. zav.; gor. zhur.  
5 no.3:18-23 '62. (MIRA 15:7)

1. Khar'kovskiy gornyy institut. Rekomendovana kafedroy  
marksheyderskogo dela Khar'kovskogo gornogo instituta.  
(Donets Basin--Coal mines and mining)

KORZHIK, V.I.

Evaluation of the error detecting capability of binary  
group codes. Radiotekh. i elektron. 10 no.11:2057-2059  
N '65. (MIRA 18:11)

not only on its weight but also on the arrangement of "ones". Bibliography of  
3 titles. N. S. [Translation of abstract]

Card 1/1 SUB CODE: 09, 17

UDC: 621.391.1.519.2

ATION NR: AP5004420

S/AM/8-68-12 0017027/0033

12

B

Author: Korshik, V. I. (Active member)

Probabilistic limits of undetectable errors of optimal group codes in  
BPSK-type channels

Radiotekhnika, v. 20, no. 1, 1985, p. 10

1. If an equidistant code, error detection is impossible.

2. A proof is offered that an equidistant code is the optimal code in the  
error detection. This code, with g codewords and k information symbols, k  
number of symbols n in the combinatorial space, has minimum probability  
of errors P in a symmetrical noise channel. Here

$\sum_{j=1}^g p_j^{k-1} \leq P_0$ ,  $P_0$  is the probability of errors in an optimum code.

BELOV, I.I.; SIDORIN, V.G.; KORZHIKHINA, T.P.; SHOLOKHOVA, N.P.;  
ZHURAVLEV, D.P., red.; GAVRILOV, A.N., red.; FEDOROV, N.A.,  
red.; IZHBOLDINA, S.I., tekhn. red.

[Risen from ruins; documents and papers about the reconstruction and development of Volgograd, 1943-1960] Podniaty i iz ruin;  
sbornik dokumentov i materialov o vosstanovlenii i razvitiu  
Volgograda, 1943-1960 gg. Volgograd, Volgogradskoe knizhnoe  
izd-vo, 1962. 369 p.  
(MIRA 16:2)

1. Kommunisticheskaya partiya Sovetskogo Soyuza. Volgogradskiy  
oblastnoy komitet. Partiyny arkhiv.  
(Volgograd--Civic improvement)

KORZHIKOV, M. I.

USSR/Mining - Scaffolds

Card 1/1

Authors : Paramonov, V. I., and Korzhikov, M. I.

Title : Experiment on Application of Walling Scaffolds, Type OK.

Periodical : Mekh. Trud. Rab. Ed. 3, 36 - 37, Apr - May 1954

Abstract : The application and testing of walling scaffolds, type OK-150. According to the author the type OK-150 scaffolds are easy to produce, and result in the saving of metal by 400 to 600%. Advantages over the standard MOS-50U scaffolds are also pointed out. Tables; diagrams; graph; illustration.

Institution : ....

Submitted : ....

KORZHIKOV, Mikhail Ivanovich; KAZAN, F.Ya., redaktor; KOROVENKOVA, Z.A.  
tekhnicheskiy redaktor.

[Mine props for caving; movable metal timbering for roof control]  
Posadochnaia krep'; metallicheskaiia peredvishnaiia krep' dlia  
upravleniya krovlei. Moskva, Ugletekhizdat, 1955. 239 p. (MLRA 8:8)  
(Mine timbering)

MASHKOVTSOV, M.F.; KORZHINA, A.N.

Effect of nitrogen nutrition on the accumulation of nicotine in  
tobacco plants. Agrobiologija no.6:84-92 N-D '58. (MIRA 12:1)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut tabaka i makhorki, g.  
Krasnodar.

(Plants, Effect of nitrogen on)  
(Tobacco) (Nicotine)

GRINFEL'D, E.G.; KORZHINA, A.N.

Evaluating the frost resistance of winter wheat and winter  
barley in relation to their varietal characteristics in  
Krasnodar Territory. Agrobiologiya no.2:188-191 Mr-Ap '62.  
(MIRA 15 :4)

L. Krasnodarskiy nauchno-issledovatel'skiy institut sel'skogo  
khozyaistva,

(Krasnodar Territory—Wheat—Frost resistance)

(Krasnodar Territory—Barley—Frost resistance)

KORZHINEK, F. ; CHERNYY, I.

Use of motorbus trailers in Czechoslovakia. Avt.transp. 38 no.11:55-  
57 N '60. (MIRA 13:11)  
(Czechoslovakia—Motorbus trailers)

IVANYY, P.; KORZHNEK, I.; UYGEL'NOVA, M.; IVANYY, I.

Significance of the antiglobulin reaction in clinical and experimental immunohematology. Probl.gemat.i perel.krovi no.11:24-36  
'62. (MIRA 15:11)

1. Iz oblastnoy stantsii perelivaniya krovi (zav. A. TSzambelova)  
v g. Nirta i Instituta gematologii i perelivaniya krovi (dir. -  
prof. Ya. Gorzheyshi ) v Prague.  
(IMMUNOHEMATOLOGY) (GAMMA GLOBULIN)

OGAREV, A.P., starshiy nauchnyy sotrudnik; KORZINKIN, N.S., inzh.

Wear resistance of the wrought iron parts of automatic looms.  
Tekst.prom. 25 no.1:77-78 Ja '65. (MIRA 18:4)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut tekstil'nogo i legkogo mashinostroyeniya (for Ogarev).

KORZHINSKAYA, K. N.

AUTHOR:

Korzhinskaya, K.N.

11-58-6-5/13

TITLE:

The Structure of the Slyudyanka Phlogopite Deposits (Struktura rudnogo polya slyudyanskogo mestorozhdeniya flogopita)

PERIODICAL:

Izvestiya Akademii Nauk SSSR, Seriya Geologicheskaya, 1958,  
Nr 6, pp 69-83 (USSR)

ABSTRACT:

The slyudyanka phlogopite deposits, situated in the southern part of the lake Baykal region are divided into two formations: 1) the upper strata, formed by crystallized limestone; 2) the lower strata, composed mainly of garnet and biotite gneisses. The whole region is of an exceedingly complex isoclinal folding structure. The author describes this structure in detail. She found that the industrially-important layers of phlogopite were the pyroxene-amphibolic gneisses of the upper formation and the leucocratic biotite gneisses and diopside rocks of the lower formation.

ASSOCIATION:

There are 7 figures, and 6 Soviet references.

Trest "Sibgeolnerud", g.Irkutsk (The "Sibgeolnerud" Trust,  
City of Irkutsk)

SUBMITTED:

July 23, 1957

AVAILABLE:

Library of Congress

Card 1/1

1. Geology 2. Rocks-Determination

KORZHINSKIY, A.F., [Korzhyns'kyi, A.F.];

Structure and formation of the Vyshkovo ore region and its  
prospects. Geol. zhur. 23 no.5:15-26. '63. (MIRA 16:12)

1. Institut geologii goryuchikh iskopayemykh AN UkrSSR.

KORZHINSKIY, A.F.; MASLYAKEVICH, Ya.V.

Laumontite and associated minerals from the diorite-porphyrite  
intrusive in the Vyshkovo region of Transcarpathia. Dokl.AN  
SSSR 149 no.3:677-680 Mr '63. (MIRA 16:4)

1. Institut geologii goryuchikh iskopayemykh AN UkrSSR.  
Predstavleno akademikom D.S.Korzhinskim.  
(Transcarpathia--Laumontite)

USSR:

The sulfates in the veins of the Gumbet's deposits  
A. F. Korzhinskii, Trudy Gorno-Geol. Inst., Akad. Nauk  
S. S. R., Tadzh. Filial No. 10, Mineralog. Sbornik No. 2,  
39-67(1953).—Report of a study of the mineralogical  
properties of barite, celestite, anhydrite, and gypsum of  
the Gumbet's deposits. Analysis of the paragenetic and  
nonparagenetic assemblages showed that formation of sulfates  
proceeded on a small scale and over a long period of time.

Gladys S. Macy

dc jw

KOREHINSKY, H.F.

USSR.

Talc from the altered zones of the Guribelsik deposit, A.  
 F. Korchinskii, Tula, Garse-GeoL Inst. Acad. Nauk  
 S.S.R., Ural. Filial No. 20, Mineralog. Sbornik No. 2,  
 68-72 (1952); cf. G.A. 49, 23866-K. carried out a phys.  
 and chem. study of the talc of the Guribelsik deposit. It  
 had a hardness of 1-1.5 and sp. gr. 2.4 to 2.6. The talc  
 displayed strong hydroscopicity. Both hydration and  
 swelling curves were determined. The most colored  
 grains of talc were distinctly pleochroic, with r. yellowish  
 green and a. yellow. The pleochroic variety of talc has  
 $C:7.0^{\circ}, 2V:37^{\circ}$ , optically nck,  $n_r:1.671, n_{l}:1.663$ , and  $n_{o}:1.652$ , all  $\pm 0.003$ . A chem. analysis of the talc is given and  
 from it the following formula was calculated:  $36 \text{ Al}_2\text{O}_3, 46 \text{ SiO}_2, 26 \text{ H}_2\text{O}$ , with the molar ratio of  $\text{Al}/\text{Fe} = 0.8$ .

Gladys S. Marx

KORZHINSKIY, A.F.

G ✓  
Forbidden mineral associations in the basalts of the eastern Sayan. A. P. Korzhinskiy and B. V. Frantskaya. Doklady Akad. Nauk S.S.R. 104, 201-3 (1955). — A. G. Deteklitin (1953) described evident contradictory occurrences of metal ores in basic and ultrabasic rocks which should be expected in acidic types and their placers. The Tertiary and Quaternary basalts of E. Sayan are typical plateau formations over an area of about 50 sq. km., with 20 flows one above the other, in a thickness of about 180 m. The upper portions of the flows are vitrophyric and vesicular, the lower very dense, of diabasic structure (with olivine and andesite  $A_{34}$  to  $A_{44}$ ). Besides normal mineral assocts. in the heavy concentrates, K. and F. found galena, scheelite, molybdenite, zircon, and rounded, spindle-shaped grains of native Pb and Sn. These cannot be human artifacts since the samples were taken from the original rock. The anomalous occurrences also cannot be explained by an assimilation of siliceous rocks; nowhere were intrusions of granites, or any xenoliths of this type observed. The reducing medium in the last stages of the crystn. in the basalts which caused the formation of native Pb and Sn is connected with the crystn. of ore minerals like magnetite, magnesiolomite, and pyrrhotite. W. Eirel

Inst. Geol. East. Siberian Affil. AS USSR

"APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000825020008-6

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000825020008-6"

KORZHINSKII, A. F.

(with 10% of  $\text{FeCO}_3$ ) while the feldspar was removed by hydrolysis. In this case the metasomatic reaction is characterized by the presence of pyrite and magnetite. The relatively inert role is characteristic of the iron oxide mineral, i.e.,  $\text{FeCO}_3$ , and pyrite the reducing conditions are typical of hydrothermal soils. The cause of this situation may be the whole during the change of the composition of the charge, which includes 89%  $\text{CaO}$ , 2.0%  $\text{MgO}$ , and 1.0%  $\text{SiO}_2$ . To the charge were added 31.1%  $\text{CaO}$ , 38.3%  $\text{SiO}_2$ , and 1.0%  $\text{Al}_2\text{O}_3$ . These percentages were removed from the original. The reaction of excess  $\text{SiO}_2$  in the hydrothermal medium may be due to the formation of the central quartz-silicate metasomatic complex.

2/2

"APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000825020008-6

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000825020008-6"

"APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000825020008-6

KORZHINSKY A F

~~✓ New data on the Isotopes and polymers  
produced by the Soviet Union and their  
uses in the atomic bomb.~~

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000825020008-6"

"APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000825020008-6

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000825020008-6"

"APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000825020008-6

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000825020008-6"

KORZHINSKIY, A. F.

"Thermo-optical Analyses of Minerals of the Epidote Group and of Certain Tourmalines" p. 97

~~"Synthesis and Structure of Hydroxilicates containing Simple and Complex Heavy Metal Cations."~~ p. 38

Transactions of the Fifth Conference on Experimental and Applied Mineralogy and Petrography, Trudy ... Moscow, Izd-vo AN SSSR, 1958, 516pp.

reprints of reports presented at conf. held in Leningrad, 26-31 Mar 1956. The purpose of the conf. was to exchange information and coordinate the activities in the fields of experimental and applied mineralogy and petrography, and to stress the increasing complexity of practical problems.

KORZHINSKIY, A.F.; FRANTSAYA, Ye.V.

Late segregation of molybdenite in the Buluktay deposits of  
southwestern Transbaikalia. Izv. Sib. otd. AN SSSR no.6:46-53  
'58. (MIRA 11:9)

1. Vostochno-Sibirskiy filial AN SSSR.  
(Buluktay Valley--Molybdenite)

~~KORZHINSKY, A.P.~~

Skarn formations in the Ospa hyperbasic massif of the Eastern Sayans.  
Zap. Vses. min. ob-va 87 no.3:327-347 '58. (MIRA 11:110)

1. Institut geologii Vost.-Sib. filiala AN SSSR.  
(Sayan Mountains--Rocks, Siliceous)

*Korzhinskiy, A. F.*

20-2-46/60

AUTHOR:

Korzhinskiy, A. F.

TITLE:

On the Influence of the Composition of the Country Rocks Upon the Time of Ore-Formation in the Dzhida Ore-Deposit (O vliyanii sostavov bokovykh porod na priurochennost' orudieniya na Dzhidinskem mestozhdenii)

PERIODICAL:

Doklady AN SSSR, 1958, Vol. 118, Nr 2, pp. 365 - 368 (USSR)

ABSTRACT:

As is well-known (references 2, 4) this ore-deposit of rare metals is spatially and genetically in connection with a smaller Mesozoic intrusive of granite-porphries. This intrusive penetrated along the contact of a diorite-massif and an effusive-sedimentary Cambrian stratum (reference 1). A sharp spatial separation of the molybdenum- from the tungsten-mineralization is a peculiarity of the Dzhida ore-deposit (figure 1, I). This led to the conception of 2 independent ore-deposits in a very small area. The molybdenum-mineralization is strictly confined to the granite-porphyry-intrusive itself. Here it manifests itself in quartz-veins and mainly in a dense network of small veins which in the western endocontact-zone form a 100-150 m wide stockwork. In contrast to molybdenum the tungsten-mineralization is connected with quartz veins which outside the granite-porphyry-intrusive are also deposited

Card 1/4

20-2-46/60

APPROVED FOR RELEASE: 06/14/2000 CIA RDP86-00513R000825020008-6  
On the Influence of the Composition of the Country Rocks Upon the Time of Ore-Formation in the Dzhida Ore-Deposit

in the containing slates and quartz-diorites. N. K. Nefedov explains such a disconnection by a mineralization different with respect to time which was in connection with 2 independent magma reservoirs. Kushnarev (reference 4), however, on the basis of an equal mineral composition of the tungsten- and molybdenum-veins comes to the conclusion that both ore-deposits not only belong to the same magma reservoir but even stem from a uniform process of mineralization. The spatial separation he explains by a pulsating development of the crevice-tectonics. Consequently it is supposed that first the molybdenum-story deposit in the granite-porphyry story developed and thereafter a vein deposit of tungsten outside the domain of the story. After a 2 years study of the rocks modified beside the veins the author precisely defined the genesis of this ore-deposit. The vein-like distribution of the sulfides and the cementation of crushed quartz-places with Hübnerit by these sulfides (reference 5) indicates a pulsating formation of the veins and a superposition of the sulfide-mineralization on a preceding Hübnerit-mineralization. Larger veins (No.1, 2, 24 and others) occur in the slates east of the granite-porphyry-intrusive. In spite of their close position to the molybdenum-containing veins of the intrusive these veins are free of molybdenum. Their rich content of byrite and

Card 2/4

On the Influence of the Composition of the Country Rocks Upon the Time of Ore-Formation in the Dzhida Ore-Deposit

20-2-46/6c

rhodochrosite apparently is in connection with the high content of iron (11,5 %) and manganese oxide (0,29 %) in the slate. The molybdenum deficiency in the veins is apparently just explained by the deposition of large amounts of sulfide. Thereby the concentration of sulfur in the solutions was so much reduced that they became incompletely saturated for molybdenum. Thus molybdenite was only precipitated in the low-iron rocks in which the sulfur concentration was high enough to bring about a supersaturation of the solution with molybdenum. The author confirms Kushnarev's opinion (reference 4) that molybdenum was not separated during earlier stages of a "molybdenum"-mineralization. The more it is necessary to assume the occurrence of two independent magma reservoirs in the interior. The dependence of the molybdenum-mineralization on the granite-porphries represents a concrete example of a strong influence of the medium upon the composition of ore. Finally the author gives some practical advices regarding the further exploitation of these ore-deposits in the light of the above-mentioned statements. There are 1 figure, 1 table, and 5 references, all of which are Slavic.

Card 3/4

On the Influence of the Composition of the Country Rocks Upon the Time of Ore-Formation in the Dzhida Ore-Deposit

20-2-46/6c

ASSOCIATION: Institute for Geology of the East-Siberian Branch AN USSR  
(Institut geologii Vostochno-Sibirskogo filiala Akademii nauk SSSR)

PRESENTED: March 30, 1957, by D. S. Korzhinskiy, Academician

SUBMITTED: March 25, 1957

AVAILABLE: Library of Congress

Card 4/4

SOV/20-123-2-41/50

3(8).

AUTHORS:

Korzhinskiy, A. F., Vasil'yev, Ye. K.

TITLE:

An Occurrence of Paralumnite in the Jurassic Sediments of the Southwestern Edge of the Vilyuyskaya Depression (Nakhodka paralyuminita v yurskikh osadkakh yugo-zapadnoy okrainy Vilyuyskoy vpadiny)

PERIODICAL:

Doklady Akademii nauk SSSR, 1958, Vol 123, Nr 2, pp 357-360  
(USSR)

ABSTRACT:

A sandy, clayey mass of Upper Lias strata occurs 3 km north-east of the "Mir" kimberlite plug at the edge of the "Gorelyy" (left tributary of the Irelyakh River) spring. Lumps, 2 to 3 cm in diameter and composed of a chalky substance, occur in a light yellow clay bed that is 1-5 m thick. These lumps are composed of the rare mineral paralumnite (material presented by G. F. Faynshteyn). The white mass of the mineral in the lumps has a non-greasy feel, smears the hands, sticks to the tongue, and smells like clay. When ground in a mortar, this mineral sticks to the mortar, even when completely dry. The initially weak effervescence in 10% hydrochloric acid becomes strong after one minute and is accompanied by a considerable

Card 1/4

SOV/20-123-2-41/50

An Occurrence of Paralummite in the Jurassic Sediments of the Southwestern Edge of the Vilyuyskaya Depression

development of heat. This is caused by the substitution of chlorine for the hydroxyl group. All of the optical properties agree with those described in the reference books (Refs 1,2). The chemical formula is (Table 1) as follows:  $2\text{Al}_2\text{O}_3 \cdot \text{SO}_3 \cdot 14.7 \text{H}_2\text{O}$  and is near that of paralumnite. Figures 1 and 2 show data from thermal analyses. Tables 2 and 3 contain the X-ray constants, which are different from those of other known alumino-sulfates. A comparison of paralumnite constants in the scientific literature was not possible, since these data have not been published. Through microscopic investigations of the mineral while immersed, it was proven that upon heating up to  $100^\circ$  the refraction rises sharply, while the double refraction falls (Fig 3). The refractive index does not change essentially with heating of the mineral up to  $300^\circ$ . The luminescence product of paralumnite up to  $750^\circ$  is an isotropic substance with  $N = 1.567$ . A complete transformation into an amorphous material results from X-ray treatment. After sulfur is removed by roasting, the substance remains isotropic but

Card 2/4

SOV/20-123-2-41/50

An Occurrence of Paraluminite in the Jurassic Sediments of the Southwestern Edge of the Vilyuyskaya Depression

becomes strongly refractive ( $N = 1.630$ ). Further heating up to  $1200^{\circ}$  causes no variation in either the structure or the refractive properties. The substance is by this time a one phase corundum (Ref 3), which is strongly dispersed. Paraluminite was found in the wall of a city building (Ref 4). It formed radial aggregates in cavities of a 40 year old concrete. The formation of paraluminite lumps in the sandy clay masses in Siberia is explained by the occurrence of organic sulfur in a clay rich material. There are 4 figures, 2 tables, and 4 references, 3 of which are Soviet.

ASSOCIATION: Institut geologii Vostochno-Sibirs'kogo filiala Akademii nauk SSSR (Geological Institute, East Siberian Office of the AS USSR)

PRESENTED: June 13, 1958, by D. I. Shcherbakov, Academician

Card 3/4

KORZHINSKIY, A.F.

Thermooptical studies of some chlorites in Eastern Siberia.  
Zap.Vost.-Sib.otd.Vses.min. ob-va no.1:50-64 '59. (MIRA 14:7)

1. Institut geologii Vostochno-Sibirskogo filiala AN SSSR.  
(Siberia, Eastern--Chlorites)

KORZHINSKIY, A.I.; VASIL'YEV, Ya.K.

Find of chillagite in tungsten-bearing veins of the Pashidinskiy deposit. Geol.rud.mestozh. no.1:107-108 Ja-F '59.  
(MIEA 12:5)

1. Vostochno-Sibirskiy filial AN SSSR, Irkutsk.  
(Pashidinskiy Range--Chillagite)

KORZHINSKIY, A.F.; SHUR, A.S.

Ultra- and microporosity of certain products of limestone  
metamorphism. Zap.Vost.-Sib.otd.Vses.min. ob-va no.1:109-113  
'59. (MIRA 14:7)

1. Gorno-geologicheskiy institut Ural'skogo filiala AN SSSR.  
(Porosity) (Limestone)

KORZHINSKIY, A.F.

Contact vein changes in enclosing rocks of the Gumbeyka deposits  
of scheelite. Trudy Gor.-geol. inst. UFAN SSSR no. 42:17-41  
'59. (MIRA 14:2)  
(Gumbeyka region--Scheelite)

KORZHINSKIY, A.F.

Thermal and optical study of some amphiboles of Eastern Siberia.  
Trudy Vost.-Sib.fil. AN SSSR no.16:245-275 '61. (MIRA 14:7)  
(Siberia, Eastern--Amphibole)

KORZHINSKIY, A.F.

Effect of the composition of hydrothermal solutions and wall rocks on ore sedimentation in certain tungsten and lead-zinc deposits. Geol.rud.mestorozh. no.1:47-62 Ja-F '62. (MIRA 15:2)

1. Institut geologii poleznykh iskopayemykh AN USSR, L'vov.  
(Ore deposits)

KORZHINSKIY, A.F.; VASIL'YEV, Ye.K.; LEBEDEVA, V.S.

Phase composition of calcination products of gearksutite in  
the Dzhida deposit. Zap.Vses.min.ob-va 89 no.6:669-681 '61.

(MIRA 15:5)

1. Vostochnosibirskiy geologicheskiy institut Sibirskogo  
otdeleniya AN SSSR, Irkutsk.

(Dzhida Valley—Gearksutite)

KORZHINSKIY, Andrey Fedorovich [Korzhyns'kyi, A.F.]; VUL'CHIN, Ye.I.  
[Vul'chyn, I.E.I.], kand. geol.-min. nauk, otv. red.;  
SERDYUK, O.P., red.

[Hydrothermal alteration of rocks and their significance  
for understanding the ore formation process] Hidrotermal'no  
zmineni porody i ikh znachennia dlia rozuminnia protsesiv  
rudoutvorennia. Kyiv, Naukova dumka, 1964. 165 p.  
(MIRA 17:8)

GRINBERG, I.V.; KORZHINSKIY, A.F.; MASLYAKEVICH, Ya.V.; SHVED, N.A.

Study of the nature of new rare organic minerals in Transcarpathia. Dokl. AN SSSR 158 no.1:116-118 S-0 '64  
(MIRA 17:8)

1. Institut geologii goryuchikh iskopayemykh AN UkrSSR.  
Predstavleno akademikom A.P. Vinogradovym.

KORZHINSKIY, A.F.


Capillary aggregates of a mineral of the montmorillonite group.  
Zap.Vses.min.ob-va 94 no.2:219-224 '65.


(MIRA 18:5)

1. Institut geologii i geokhimii goryuchikh iskopayemykh AN UkrSSR.

VINOGRADOV, A.P.; KORZHINSKIY, D.S.; SMIRNOV, V.I.; SHCHERBAKOV, D.I.;  
AYDIN'YAN, N.Kh.; VINOGRADOV, V.I.; VOL'FSOHN, F.I.; GENKIN, A.D.;  
DANCHEV, V.I.; LUKIN, L.I.; OZEROVA, N.A.; PEREL'MAN, A.I.; REKHARSKIY,  
V.I.; SMORCHKOV, I.Ye.; FEODOT'YEV, K.M.; SHADLUN, T.N.; SHIPULIN, F.K.

Aleksandr Aleksandrovich Saukov, 1902-1964; obituary. Geol. rud. mestorozh.  
7 no.1:124-125 Ja-F '65. (MIRA 18:4)





"APPROVED FOR RELEASE: 06/14/2000


CIA-RDP86-00513R000825020008-6

KORZHINSKIY, D. S.

"Deposits of Metasomatic Contact Reaction," Dokl. AN SSSR, 33, No.2, 1941

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000825020008-6"



"APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000825020008-6

KORZHINSKIY, D. S.

"The Laws of the Association of Minerals in the Archei Strata of Eastern  
Siberia," monograph, 1945

APPROVED FOR RELEASE: 06/14/2000

CIA-RDP86-00513R000825020008-6"